

		threatening.	
Clobazam Formulary Pg. 20	Onfi	<i>Central Nervous System Agents: Anticonvulsants: Benzodiazepines.</i> Indicated for the adjunctive treatment of seizures associated with Lennox-Gastaut syndrome in patients 2 years and older.	5/14/12 CTP holder may prescribe.
Gabapentin Enacarbil Formulary Pg. 20	Horizant	<i>Central Nervous System Agents: Anticonvulsants: Adjuvant Anticonvulsants.</i> Indicated for the treatment of moderate to severe primary restless leg syndrome in adults.	5/14/12 CTP holder may prescribe.
Mannitol Formulary Pg. 30	Aridol	<i>In Vivo Diagnostic Aids.</i> Indicated for the assessment of bronchial hyperresponsiveness in patients 6 years and older who do not have clinically apparent asthma.	5/14/12 CTP holder may prescribe.
February 2012			
Etonogestrel Formulary Pg. 9	Nexplanon	<i>Endocrine & Metabolic Agents: Sex Hormones: Contraceptive Hormones.</i> Indicated for the prevention of pregnancy.	5/14/12 CTP holder may prescribe.
Tramadol Hydrochloride Formulary Pg. 17	Rybix ODT	<i>Central Nervous System Agents: Opioid Analgesics.</i> Indicated for the management of moderate to moderately severe pain in adults.	5/14/12 CTP holder may prescribe.
Tapentadol Formulary Pg. 17	Nucynta ER	<i>Central Nervous System Agents: Opioid Analgesics.</i> Indicated for the management of moderate to severe chronic pain in adults when a continuous, around-the-clock opioid analgesic is needed for	5/14/12 CTP holder may prescribe. Schedule II restrictions apply.

		an extended period of time.	
Bupivacaine Liposome Injection Formulary Pg.20	Exparel	<i>Central Nervous System Agents: Injectable local anesthetics.</i> Indicated for administration into the surgical site to produce postsurgical analgesia.	5/14/12 CTP holder may prescribe.
Aflibercept Formulary Pg. 27	Eylea	<i>Ophthalmic Agents: Selective Vascular Endothelial Growth Factor Antagonist.</i> Indicated for the treatment of neovascular (wet) age-related macular degeneration.	5/14/12 CTP holder May NOT prescribe.
Ruxolitinib Formulary Pg. 29	Jakafi	<i>Antineoplastic Agents: Kinase Inhibitors.</i> Indicated for the treatment of patients with intermediate or high-risk myelofibrosis, including primary myelofibrosis, post-polycythemia vera myelofibrosis, and post-essential thrombocythemia myelofibrosis.	5/14/12 Physician Initiated/ Physician Consult
March 2012			
Polidocanol Formulary Pg. 14	Asclera	<i>Cardiovascular Agents: Sclerosing Agents.</i> Indicated for the treatment of uncomplicated spider veins and uncomplicated reticular veins in the lower extremity.	5/14/12 Physician Initiated/ Physician Consult
April 2012			
Glucarpidase Formulary Pg. 11	Voraxaze	<i>Endocrine & Metabolic Agents: Detoxification Agents: Antidotes.</i> Indicated for the treatment of toxic plasma methotrexate concentrations in patients with delayed methotrexate clearance due to impaired renal	5/14/12 CTP holder May NOT prescribe.

		function.	
Ingenol Mebutate Formulary Pg. 25	Picato	<i>Dermatological Agents: Immunomodulators, Topical.</i> Indicated for the topical treatment of actinic keratosis.	5/14/12 CTP holder may prescribe.
Axitinib Formulary Pg. 29	Inlyta	<i>Antineoplastic Agents: Kinase Inhibitors.</i> Indicated for the treatment of advanced renal cell carcinoma after failure of 1 prior systemic therapy.	5/14/12 CTP holder May NOT prescribe.
Vismodegib Formulary Pg. 29	Erivedge	<i>Antioneoplastic Agents: Miscellaneous Antineoplastics.</i> Indicated for the treatment of adults with metastatic basal cell carcinoma, or with locally advanced basal cell carcinoma that has recurred following surgery or who are not candidates for surgery, and who are not candidates for radiation.	5/14/12 CTP holder May NOT prescribe.
Linagliptin/ Metformin Hydrochloride Formulary Pg. 10	Jentadueto	<i>Endocrine & Metabolic Agents: Antidiabetic Agents: Antidiabetic combination products.</i> Indicated as an adjunct to diet and exercise to improve glycemic control in adults with type 2 diabetes mellitus when treatment with both linagliptin and metformin is appropriate.	5/14/12 CTP holder may prescribe.
Ibuprofen/ Famotidine Formulary Pg. 17	Duexis	<i>Central Nervous System Agents: Nonnarcotic Analgesic Combinations.</i> Indicated for the relief of signs and symptoms of osteoarthritis and rheumatoid arthritis and to decrease the risk of developing upper GI ulcer.	5/14/12 CTP holder may prescribe.

Nitroglycerin, rectal Formulary Pg. 22	Rectiv	<i>Gastrointestinal Agents: Anorectal Preparations.</i> Indicated for the treatment of moderate to severe pain associated with chronic anal fissures.	5/14/12 CTP holder may prescribe.
---	--------	---	--------------------------------------

New Drugs Indications/ Warnings May 2012

(New Drug Indications/ Black Box Warnings: FDA)

Generic Name	Trade Name	Indication(s)	CPG Action/Date
January 2012			
Captopril Formulary Pg. 13	Captopril	<i>Cardiovascular Agents: Renin Angiotensin System Antagonists.</i> New indication for the treatment of diabetic nephropathy in patients with type 1 insulin dependent diabetes mellitus and retinopathy.	Current: CTP holder may prescribe. 5/14/12 No Change.
Tadalafil Formulary Pg. 15	Cialis	<i>Renal & Genitourinary Agents: Impotence Agents.</i> New indication for the treatment of erectile dysfunction and the signs and symptoms of BPH.	Current: CTP holder may prescribe. 5/14/12 No Change.
Leucovorin Calcium Injection Formulary Pg. 29	Leucovorin Calcium	<i>Antineoplastic Agents: Cytoprotective Agents.</i> New indication for use in combination with 5-fluorouracil to prolong survival in the palliative treatment of patients with advanced colorectal cancer.	Current: CTP holder may NOT prescribe. 5/14/12 No Change.
February 2012			
Chlorpromazine Hydrochloride Formulary Pg. 18	Chlorpromazine Hydrochloride	<i>Central Nervous System Agents: Antipsychotic Agents: Phenothiazine Derivatives.</i> New black box warning for increased mortality in elderly patients with dementia related psychosis.	Current: CTP holder may prescribe. 5/14/12 No Change.

Fluphenazine Formulary Pg. 18	Fluphenazine Hydrochloride	<i>Central Nervous System Agents: Antipsychotic Agents: Phenothiazine Derivatives.</i> New black box warning for increased mortality in elderly patients with dementia related psychosis.	Current: CTP holder may prescribe. 5/14/12 No Change.
Perphenazine Formulary Pg. 18	Perphenazine	<i>Central Nervous System Agents: Antipsychotic Agents: Phenothiazine Derivatives.</i> New black box warning for increased mortality in elderly patients with dementia related psychosis.	Current: CTP holder may prescribe. 5/14/12 No Change.
Prochlorperazine Formulary Pg. 18	Prochlorperazine, Compro	<i>Central Nervous System Agents: Antipsychotic Agents: Phenothiazine Derivatives.</i> New black box warning for increased mortality in elderly patients with dementia related psychosis.	Current: CTP holder may prescribe. 5/14/12 No Change.
Trifluoperazine Formulary Pg. 18	Trifluoperazine	<i>Central Nervous System Agents: Antipsychotic Agents: Phenothiazine Derivatives.</i> New black box warning for increased mortality in elderly patients with dementia related psychosis.	Current: CTP holder may prescribe. 5/14/12 No Change.
March 2012			
Eculizumab Formulary Pg. 24	Soliris	<i>Biologic/ Immunologic Agents: Monoclonal Antibody.</i> New indication for the treatment of patients with atypical hemolytic uremic syndrome to inhibit complement-mediated thrombotic microangiopathy.	Current: Physician Initiated/ Physician Consult 5/14/12 No Change.

April 2012			
Rizatriptan Benzoate Oral Formulary Pg. 17	Maxalt	<i>Central Nervous System Agents: Agents for Migraine.</i> New indication for the acute treatment of migraine with or without aura in pediatric patients 6 to 17 years of age.	Current: CTP holder may prescribe. 5/14/12 No Change.

Formulary Revision Request May 2012
(Original New Drug Applications: FDA)

Generic Name	Trade Name	Indication(s)	CPG Action/Date
Midazolam Formulary Pg. 20	Versed	<i>Central Nervous System Agents: General Anesthetics.</i> Indicated for preoperative sedation, sedation, anxiolysis and amnesia prior to or during short diagnostic, therapeutic or endoscopic procedures, for induction of general anesthesia before administration of other anesthetic agents, to supplement nitrous oxide, and for infusion for sedation of intubated and mechanically ventilated patients in a critical care setting. Requesting CTP holder may prescribe, physician initiated/ physician consult, or Acute Care CTP holder may prescribe	Current: CTP holder may NOT prescribe. 5/14/12 Physician Initiated/ Physician Consult in institutional setting per institutional standards.
Everolimus	Zortress	<i>Antineoplastic Agents: Kinase Inhibitors.</i> Indicated for the prophylaxis of organ rejection in adult patients at low to moderate immunologic risk receiving a kidney	Current: CTP holder may NOT prescribe. 5/14/12 Physician Initiated/ Physician Consult

Formulary Pg. 29		transplant. Requesting Physician Initiated/ Physician Consult.	
------------------	--	---	--

**Review of Prescribing Designations PI/PC and CTP Holder May
NOT Prescribe
Ophthalmic Agents
(May 2012)**

Drug Category/ Drug Name	Indication(s): If reviewing a specific drug in a drug category	Current Prescribing Designation	CPG Action/Date
Agents for Glaucoma			
Agents for Glaucoma Formulary Pg. 26	<i>Agents for Glaucoma.</i>	Physician Initiated/ Physician Consult.	5/14/12 No Change.
Nonsteroidal Anti-Inflammatory Drugs			
Nonsteroidal Anti-Inflammatory Drugs Formulary Pg. 26	<i>Nonsteroidal Anti-Inflammatory Drugs.</i> Indicated for the treatment of postoperative inflammation and the reduction of ocular pain in patients who have undergone cataract extraction (Bromfenac, Diclofenac, Nepafenac), for the inhibition of intraoperative miosis (Flurbiprofen), for the reduction of ocular pain and burning/stinging following corneal refractive surgery (Ketorolac), and for the temporary relief of ocular itching caused by seasonal conjunctivitis (Ketorolac).	Physician Initiated/ Physician Consult.	5/14/12 CTP holder may prescribe.
Corticosteroids			
Corticosteroids	<i>Corticosteroids.</i> Indicated for treatment of corneal injury (dexamethasone, prednisolone acetate),	CTP holder may NOT prescribe. Dexamethasone: CTP holder may prescribe	5/14/12 Physician Initiated/ Physician Consult

Formulary Pg. 26	for the treatment of macular edema (dexamethasone implant), For the treatment of steroid-responsive inflammatory conditions, for the temporary relief of the signs and symptoms of seasonal allergic conjunctivitis (loteprednol suspension), and for visualization during vitrectomy (triamcinolone).	with hematology/ oncology specialty.	
Ophthalmic Antihistamines			
Ophthalmic Antihistamines Formulary Pg. 26	<i>Ophthalmic Antihistamines.</i> Indicated for the treatment of itching associated with allergic conjunctivitis.	No current prescribing designation. Alcaftadine: CTP holder may prescribe.	5/14/12 CTP holder may prescribe.
Cycloplegic Mydriatics			
Cycloplegic Mydriatics Formulary Pg.	<i>Cycloplegic Mydriatics.</i> Indicated for cycloplegic refraction, for pre and postoperative states when mydriasis is required, for dilating the pupil, and for the treatment of inflammatory condition of the iris and uveal tract.	Not currently listed on Formulary.	5/14/12 Physician Initiated/ Physician Consult
Ophthalmic Antiseptics			
Ophthalmic Antiseptics Formulary Pg. 26	<i>Ophthalmic Antiseptics.</i>	CTP holder may NOT prescribe.	5/14/12 No Change.
Ophthalmic Antifungals			
Ophthalmic Antifungals Natamycin	<i>Ophthalmic Antifungals.</i> Indicated for the treatment of fungal blepharitis,	CTP holder may NOT prescribe.	5/14/12 Physician Initiated/ Physician Consult

(Natacyn) Formulary Pg. 26	conjunctivitis, and keratitis caused by susceptible organisms.		
Antiviral Agents			
Antiviral Agents Formulary Pg. 27	<i>Antiviral Agents.</i>	CTP holder may NOT prescribe.	5/14/12 Physician Initiated/ Physician Consult
Ophthalmic Immunologic Agents			
Cyclosporine (Restasis) Formulary Pg. 27	<i>Ophthalmic Immunologic Agents.</i> Indicated to increase tear production in patients whose tear production is presumed to be suppressed due to ocular inflammation associated with keratoconjunctivitis sicca.	Physician Initiated/ Physician Consult.	5/14/12 CTP holder may prescribe
Selective Vascular Endothelial Growth Factor Antagonists			
Selective Vascular Endothelial Growth Factor Antagonists Formulary Pg. 27	<i>Selective Vascular Endothelial Growth Factor Antagonists.</i>	CTP holder may NOT prescribe.	5/14/12 No Change.
Ophthalmic Phototherapy			
Verteporfin Formulary Pg.	<i>Ophthalmic Phototherapy.</i> Indicated for the treatment of predominantly classic subfoveal CNV caused by age-related macular degeneration, pathologic myopia, or presumed ocular histoplasmosis.	Not currently listed on Formulary.	5/14/12 CTP holder may not prescribe.
Ophthalmic Punctal Plugs			
Punctal Plugs (Herrick-Lacrimal, Punctum)	<i>Ophthalmic Punctal Plugs.</i> Indicated for treatment of dry eye, after eye surgery to prevent complications due to dry eye, to enhance the efficacy of ocular medications, and for patients experiencing	CTP holder may NOT prescribe.	5/14/12 No Change.

Formulary Pg. 27	dry eye-related contact lens problems.		
Ophthalmic Collagen Implants			
Collagen Implants (Collagen Implant, Temporary Punctal Collegen Implant) Formulary Pg. 27	<i>Ophthalmic Collagen Implants.</i> Indicated for the relief of dry eyes and secondary abnormalities such as conjunctivitis, corneal ulcer, pterygium, blepharitis, keratitis, red lid margins, recurrent chalazion, recurrent corneal erosion, filarmentary keratitis and other noninfectious external eye diseases, to enhance the effect of ocular medications, treatment of symptoms of dry eye, after surgery to prevent complication, and for patients experiencing dry eye-related contact lens problems.	CTP holder may NOT prescribe.	5/14/12 No Change.
Ophthalmic Surgical Adjuncts			
Ophthalmic Surgical Adjuncts Formulary Pg. 27	<i>Ophthalmic Surgical Adjuncts.</i>	CTP holder may NOT prescribe.	5/14/12 No Change.
Ophthalmic Nonsurgical Adjuncts Formulary Pg, 27	<i>Ophthalmic Nonsurgical Adjuncts.</i>	CTP holder may NOT prescribe.	5/14/12 No Change.